

KCNC



KCNC INTERNATIONAL

TEL: +886 4 7684363

FAX: +886 4 7684373

E-mail: kcnc@kcnc.com.tw

ISO 9001:2000 Certified

www.kncbikes.com

2014 KCNC INTERNATIONAL



KCNC

2014

www.kncbikes.com

KCNC



ABOUT US

KCNC International a company has full
of passionate engineers working for the brand KCNC.

Ken LIN is our leader and chief engineer.

well-honed experience of aluminum and titanium design / machining
skills for some of the famous bicycle brands in the industry.

KCNC staffs are fuelled with the single desire to design

& produce our bicycle parts finest possible.

With over decades of experience, our engineers continue refining,

renovating and designing better products in many ways of
lightweight consideration, quality, reliability and esthetics.

It imply wide range of KCNC parts with exclusive patents such as
cranksets, stems, seatposts and brake calipers etc....

Even with our advancing manufacturing skills, modern design
and exotic engineering techniques; we will never forget the most
essential issue, "the rider's demands".





CONTENTS



005 2014 NEW PRODUCTS

015 Cranksets

021 Cassettes

025 Pedals

027 Bottom Brackets

033 Chaining sets

037 Headsets

045 Stems

051 Handlebars

057 ROAD bars

063 Seatposts

067 Seatpost Clamps

069 Cables / Housing

073 Road & MTB brake calipers

079 Brake shoes & Pads

081 Disc brake systems & Mount adaptors

085 Quick Release Skewer

086 Jockey wheels & bolt.

087 Components

095 Screws & Bolts

097 Bearings

098 Apparels

099 Product coming soon

107 KCNC distributors

111 KCNC ordering codes & specification charts.

2014 NEW PRODUCTS

Cranksets
Derailleur system
Cassette
Pedals
Bottom brackets
Downring sets
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Road/MTB brake calipers
ankle shoes & Pads
DLC brake systems & Mount adapters

Quick Release skewer
Jockey wheels & box
Components
Screws & Bolts
Bearings
Axles
KCNC distributors
KCNC ordering codes & specification charts



2014 NEW PRODUCTS



1. CB3 Road brake set- ANGLE



2. CB4 Road brake-Hill

1. CB3 Road brake set- ANGLE

- ★ Linkage activated dual pivot brake for even brake power distribution.
- ★ Light weight & compact with fast heat dispense.
- ★ Increased leverage ratio with 10% more braking power than KCNC C7.
- ★ AL7075 brake arm body with titanium center axle bolts.
- ★ Original Swissstop FLASH PROII brake pad for alloy rims.

2. CB4 Road brake- Hill

- ★ Linkage activated dual pivot brake for even brake power distribution.
- ★ Light weight & compact with fast heat dispense.
- ★ Increased leverage ratio with 15% more braking power than KCNC C7.
- ★ AL6061 brake arm body with SUS center axle bolts.



Patented hex keys

Patented hex keys

- ★ Special patent design asynchronous end tip unlike normal hex keys, this unique design is capable of solving problem when you unable to extract the bolt once the hex socket worn out.
- ★ Ergonomically designed T grip profile for comfort handling.
- ★ Hex key size available: 4mm, 5mm, 6mm and 8mm; 4pcs set.
- ★ Metal part using industrial high quality hardened S2 carbon steel.
- ★ Painted mini wall stand included.



1. Hex/Allen key set



2. Torx key set

1. Hex/Allen key set

- ★ Material: Industrial high quality hardened S3 carbon steel.
- ★ L shape hex keys with anti-rust coating with chamfered tips.
- ★ Assortment size: 1.5mm,2mm,2.5mm,3mm, 4mm,5mm,6mm,8mm,10mm; 9pcs set.

2. Torx key set

- ★ Material: Industrial high quality hardened S3 carbon steel.
- ★ L shape Torx keys with anti-rust coating.
- ★ Assortment size: T10,T15,T20,T25,T27,T30,T40,T 45,T50; 9pcs set.



1. KHS-F11 Headset



2. KHS-PT1767D Headset



Smart phone holder

1. KHS-F11 Headset

- ★ 1 1/8" upper / 1.5" bottom semi-integrated.
- ★ Material: AL6061, steel bearings; (41x45)(52x45)
- ★ Head tube insertion diameter: 44mm upper, 55mm bottom.
- ★ Stack height: 9.6mm+2.8mm=12.4mm

2. KHS-PT1767D Headset

- ★ 1 1/8" Threadless.
- ★ Material: AL6061, steel bearings; 41x45"x6.5
- ★ Head tube insertion diameter: 34mm,
- ★ Stack height: 16.1mm+12.4mm=28.5mm
- ★ weight 116g (include top cap&bolt)

Smart phone holder

- ★ The smart phone holder is designed to secure a phone or GPS device on a handlebar while riding; four strong screwing adjustable clamping arms are guaranteed to hold your valuable devices coping with vibration during riding.
- ★ Device size compatibility from either 5cm-8.5cm wide; 11cm-15cm tall.
- ★ Handlebar size compatibility: 25.4/26mm or 31.8mm.
- ★ Hex keys tool required: 2.5mm / 3mm(included in the package).
- ★ Material: AL6061 body& protective rubber on clamping arms.
- ★ Color option: Black, Blue, Gold, Green, Red, Silver



1. Mini hand pump (KOT07)


2. Mini hand pump (KOT08)



3. Presta valve extenders



1. K5 BLADE II series Rectangular chainrings



2. K5-COBWEB II Oval chainring

1. Mini hand pump (KOT07)

- ★ Simple&Compact outlook, easy to carry in a pocket, comprised of three alloy barrels which capable of pumping power 120 psi (max) on a road bike tires.
- ★ Height: 11cm (carrying status), Ø24mm.
- ★ Extension hose provided (20cm).
- ★ Material: AL6061 barrels.
- ★ Compatible with Schrader&Presta valves without changing pump head.
- ★ Anodize color option: Black, Blue, Gold, Green, Red, Silver.

2. Mini hand pump (KOT08)

- ★ Simple&Compact outlook, easy to carry in a pocket, comprised of three alloy barrels which capable of pumping power 120 psi (max) on a road bike tires.
- ★ Height: 12.2cm (carrying status), Ø24mm.
- ★ Extension hose provided (20cm).
- ★ Material: AL6061 barrels.
- ★ Compatible with Schrader&Presta valves without changing pump head.
- ★ Anodize color option: Black, Blue, Gold, Green, Red, Silver.

3. Presta valve extenders

- ★ CNC precision made valve extender with 5mm user friendly tool cut.
- ★ Anti-Air leak O-ring seals provided installed at the bottom.
- ★ Material: AL6061 barrel, brass.
- ★ Size: L:52/85/100mm, Ø6mm barrel, Ø5mm groove cut for tool installation.
- ★ Anodize color option: Black, Blue, Gold, Green, Red, Silver.

1. K5 BLADE II series Rectangular chainrings

- ★ Specifically developed to improve chainring stiffness over standard 4mm thickness chainrings.
- ★ The reinforced 5/6 mm chainrings can reduce the chance of chain suck due to flexible or bending while changing gears.
- ★ Rectangular shape design to increase pedaling efficiency.
- ★ AL7075
- ★ Available in RD 53/39T only.

2. K5-COBWEB II Oval chainring

- ★ Specifically developed to improve chainring stiffness over standard 4mm thickness chainrings.
- ★ The reinforced 5/6 mm chainrings can reduce the chance of chain suck due to flexible or bending while changing gears.
- ★ Oval shape design to increase pedaling efficiency.
- ★ AL7075
- ★ Available in RD 50/34T only.



1. Disc brake rotor locking



2. X7 disc brake pad- for TiXr titanium rotor



1. SP6 Ti Pro Lite seatpost carbon rail support kit



3. Cable housing clips



2. SC Pro Lite seatpost carbon rail support kit



4. Valve adaptor



3. Bottle cage screw

1. Disc brake rotor locking

- ★ We offer color and weight saving option for Shimano disc brake locking as spare part.
- ★ Compatibility: Shimano BR-M975(disc brake)/SM-RT97(disc rotor)
- ★ Material: AL6061
- ★ Color: Black, Blue, Gold, Green, Red, Silver

2. X7 disc brake pad- for TiXr titanium rotor

- ★ Specifically developed metallic compound to work and gain best braking performance on KCNC TiXr or other titanium rotors.
- ★ Compatible with KCNC X7 disc brake or Shimano XTR caliper.
- ★ Not recommended for SUS rotors.

3. Cable housing clips

- ★ Alloy housing clips compatible with shifter/brake housings.
- ★ Material: AL6061.
- ★ Anodize color option: Black, Blue, Gold, Green, Red, Silver.

4. Valve adaptor

- ★ CNC precision made valve adaptor converts Presta valve to Schrader usage.
- ★ Material: AL6061

1. SP6 Ti Pro Lite seatpost carbon rail support kit

- ★ The new designed Ti Pro Lite yokes, shell with wider contact surface area with saddle rails, especially carbon rails saddles. Wider contact surface area can reduce the stress and improve the carbon rail scratching/damaging problem. "Please follow the printed arrow sign showing forward direction on two yokes when installing"
- ★ Material: AL7075
- ★ Color: Black, Blue, Gold, Red, Silver
- ★ Content: yokes2, shellx1.
- ★ KIT-A support 27.2mm SP6 Ti Pro Lite seatpost
- ★ KIT-B support 30.9/31.6/34.9mm SP6 Ti Pro Lite seatpost

2. SC Pro Lite seatpost carbon rail support kit

- ★ The new designed SC Pro Lite seatpost head piece, user can purchase this individual piece to upgrade the original one if tend to use the seatpost on carbon rail saddle.
- ★ Compatibility: For 7*9 mm square carbon rails.
- ★ Material: AL7075
- ★ Color: Black.

3. Bottle cage screw

- ★ Torx 25 slim bolt head to avoid scratch on water bottle.
- ★ Material: AL7075
- ★ Color: Black, Blue, Gold, Green, Red, Silver



CRANKSETS

K-TYPE
series- External bearing

K3 Integrated
series

Options

Derailleur system
Cassette
Pedals
Bottom bracket
Chaining pins
Headsets
Stems

Hardware

ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Road/MTB brake calipers
ankle shoes & Pads
Disc brake systems & Mount adapters

Quick Release Skewer

Jockey wheels & bolt
Components
Screws & Bolts
Bearings
Axles
KCNC distributors
KCNC ordering codes & specification charts

K2-TYPE
series- External bearing



1. K2-TYPE RD-BLADE

1. K2-TYPE RD-BLADE

- ★ Crank arm length: 165/167.5/170/172.5/175/177.5mm, 7075AL
- ★ Chaining(BLADE): 58/44T; 53/39T; 52/39T; 7075AL, 5 bolt 110 or 130mm BCD,
- ★ Chaining(BLADE): 50/34T (compact); 7075AL, 5 bolt 110mm BCD,
- ★ Chaining bolt: KCNC Allen bolts 7075AL.
- ★ BB: 68mm(BSA), 70mm(TA)
- ★ Chainline: 45.8mm
- ★ Q-Factor: 153mm
- ★ Bearing: Full stainless steel, better anti-rusting&durability.
- ★ High precision full CNC machined chainrings for smooth shifting.

K-TYPE series



1. K-TYPE RD1



2. K-TYPE TK1

1. K-TYPE RD1

- ★ Crank Arm length: 165/167.5/170/172.5/175/177.5mm, 7075AL
- ★ Chaining: 53/39T or 52/39T; 7075AL, 5 bolt 130mm BCD.
- ★ Chaining: 50/34T (compact); 7075AL, 5 bolt 110mm BCD.
- ★ Chaining bolt: KCNC Allen bolts 7075AL.
- ★ BB: 68mm(BSA), 70mm(TA)
- ★ Chainline: 45.8mm
- ★ Q-Factor: 153mm
- ★ Bearing: Full stainless steel, better anti-rusting&durability.
- ★ High precision full CNC machined chainrings for smooth shifting.

2. K-TYPE TK1

- ★ Crank Arm length: 165/167.5/170/172.5/175/177.5mm, 7075AL
- ★ Chaining: 56 or 60T single, 7075AL.
- ★ Spider: 5-arm BCD 130mm, 7075AL.
- ★ Chaining bolt: KCNC Allen bolts 7075AL.
- ★ Q-Factor: 153mm
- ★ Bearing: Full stainless steel, better anti-rusting&durability.
- ★ High precision full CNC machined single chaining.

Components

Derailleur system
Cassette
Pedals
Bottom bracket
Chaining pins
Headsets
Stems

Hardware

ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Road/FH brake calipers
ankle shoes & Pads
Disc brake systems & Mount adapters

Quick Release Skewer

Jockey wheels & box
Components
Screws & Bolts
Bearings
Axle pins
KCNC distributors
KCNC wiring codes & specification charts.

K2-TYPE series



1. K2-TYPE XC-BLADE Triple



2. K2-TYPE XC-BLADE Double

1. K2-TYPE XC-BLADE Triple

- ★ Crank Arm length: 165/167.5/170/172.5/175/177.5mm, 7075AL
- ★ Chaining: 44/32/22T; 4 bolt 104/64mm BCD, 7075AL.
- ★ BB: 68/73(BSA)
- ★ Chaining bolt: KCNC Allen bolts 7075AL.
- ★ Chaining: 40/30/20T; 4 bolt 94/58 BCD, 7075 AL.
- ★ Chainline: 48.5mm
- ★ Q-Factor: 164mm
- ★ Bearing: Full stainless steel, better anti-rusting&durability.
- ★ High precision full CNC machined chainrings for smooth shifting.

2. K2-TYPE XC-BLADE Double

- ★ Crank Arm length: 165/167.5/170/172.5/175/177.5mm, 7075AL.
- ★ Double chaining (1): 42/29T; 5 bolt 94mm BCD, 7075AL.
- ★ Double chaining (2): 45/30T, 42/29T, 42/27T, 40/27T, 40/26T, 38/26T, 36/22T; 4 bolt 104/64mm BCD.
- ★ Chaining bolt: KCNC Allen bolts 7075AL.
- ★ BB: 68/73(BSA)
- ★ Chainline: 48.5mm
- ★ Q-Factor: 164mm
- ★ Bearing: Full stainless steel, better anti-rusting&durability.
- ★ High precision full CNC machined chainrings for smooth shifting.

K-TYPE

series- External bearing



1. K-TYPE XC1 Triple



2. K-TYPE XC1 Double

1. K-TYPE XC1 Triple

- ★ Crank Arm length: 165/167.5/170/172.5/175/177.5mm, 7075AL.
- ★ Chaining: 44/32/22T; 4 bolt 104/64mm BCD, 7075AL.
- ★ Chaining bolt: KCNC Allen bolts 7075AL.
- ★ Chainline: 48.5mm
- ★ Q-Factor: 164mm
- ★ Bearing: Full stainless steel, better anti-rusting&durability.
- ★ High precision full CNC machined chainrings for smooth shifting.

2. K-TYPE XC1 Double

- ★ Crank Arm: 165/167.5/170/172.5/175/177.5mm, 7075AL.
- ★ Chaining: 42/29T; 5 bolt 94mm BCD, 7075AL.
- ★ Chaining bolt: KCNC Allen bolts 7075AL.
- ★ Q-Factor: 164mm
- ★ Bearing: Full stainless steel, better anti-rusting&durability.
- ★ High precision full CNC machined chainrings for smooth shifting.

Discsets

Discset
Discset system
Cassette
Pedals
Bottom bracket
Chaining pins
Headsets
Stems

Handsets

ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Road/MTB brake calipers
ankle shoes & Pads
DLC brake systems & Mount adapters

Quick Release Skewer

Jockey wheels & box
Components
Screws & Bolts
Bearings
Assemblies
KCNC distributors
KCNC ordering codes & specification charts.

K-TYPE

series



1. K-TYPE DH1



2. K-TYPE FR1

1. K-TYPE DH1

- ★ Crank arm length: 170/175mm, 7075AL.
- ★ Chaining: 32/34/36/38/39/40/42/44T angle: 7075AL.
- ★ Spider: 4-arm BCD 104mm, 7075AL.
- ★ BB: 68/73-145mm spindle or 83-155mm spindle.
- ★ Q-Factor: 212mm for 83mm BB shell.
- ★ Bearing: Full stainless steel, better anti-rusting&durability.
- ★ High precision full CNC machined chainrings for smooth shifting.

2. K-TYPE FR1

- ★ Crank arm length: 165/170/175mm, 7075AL.
- ★ Chaining: 32/22T, 7075AL.
- ★ Spider: 4-arm BCD 104/64mm, 7075AL.
- ★ BB: 68/73-145mm spindle.
- ★ Q-Factor: 191mm.
- ★ Bearing: Full stainless steel, better anti-rusting&durability.
- ★ High precision full CNC machined chainrings for smooth shifting.




CASSETTES

Road 10 speed - Titanium

Road 12 speed - Titanium

MTB 10 speed - Titanium

MTB 11 speed - Titanium




1. Shimano 11-23T 11/12/13/14/15/16/17/19/21/23
 2. Shimano 12-25T 12/13/14/15/16/17/19/21/23/25
 3. Shimano 12-27T 12/13/14/15/16/17/19/21/24/27

- ★ Shimano 10s RD compatible.
- ★ 10 individual 6/4 Ti cogs.
- ★ Mono block CNC machined AL7075 carrier.
- ★ Optimized tooth profile for swift shifting performance.
- *Fixed mount, no user replaceable cogs*

4. Shimano 11-25T 11-12-13-14-15-16-17-18-19-21-23-25
 Shimano 11-30T 11-12-13-14-15-16-17-19-21-23-26-30

- ★ Work on KCNC ROAD derailleur system, Shimano freehub compatible.
- ★ 12 individual 6/4 Ti cogs.
- ★ Mono block CNC machined AL7075 carrier.
- ★ Optimized tooth profile for swift shifting performance.
- *Fixed mount, no user replaceable cogs*

MTB 10 speed - titanium



1. Shimano 11-34T

MTB 11 speed - titanium



2. Shimano 11-34T



3. Shimano 11-38T



Cassette rear view

1. Shimano 11-34T 11-12-13-15-17-20-23-26-30-34
Shimano 11-36T 11-12-14-16-18-21-24-28-32-36
Shimano 11-38T 11-13-15-17-20-23-26-30-34-38

- ★ Shimano/Sram 10s MTB compatible.
- ★ 10 individual 6/4 Ti cogs.
- ★ Mono block CNC machined AL7075 carrier.
- ★ Optimized tooth profile for swift shifting performance.
- *Fixed mount, no user replaceable cogs*

2. Shimano 11-34T 11-12-13-14-15-17-20-23-26-30-34
3. Shimano 11-38T 11-12-13-15-17-20-23-26-30-34-38

- ★ Work on KCNC MTB derailleur system, Shimano freehub compatible.
- ★ 11 individual 6/4 Ti cogs.
- ★ Mono block CNC machined AL7075 carrier.
- ★ Optimized tooth profile for swift shifting performance.
- *Fixed mount, no user replaceable cogs*



PEDALS

Road Platform

MTB Platform

Cranksets
Derailleur system
Cassette
Pedals
Nut/Bolt Brackets
Cleaning pens
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Road/MTB brake calipers
ankle shoes & Pads
DLC brake systems & Mount adapters

Quick Release Skewer
Jockey wheels & box
Components
Screws & Bolts
Bearings
Assessors
KCNV distributors
KCNV ordering codes & specification charts

ROAD Platform



1. ROAD-Platform pedal

MTB Platform



2. MTB-Platform pedal-ic

1. ROAD-Platform pedal

- ★ Body: AL7075
- ★ Spindle: 6/4 Titanium(DLC coating) or Stainless Steel (TiN coating)
- ★ Bearings: 1x cartridge stainless steel, 1xSS needle bushing.
- ★ Studs: Stainless steel
- ★ Weight: Ti spindle- 150g(pair) / SS spindle- 185g(pair)

2. MTB-Platform pedal-ic

- ★ Body: AL6061
- ★ Spindle: 6/4 Titanium(DLC coating) or Stainless steel (TiN coating)
- ★ Bearings: 1x cartridge stainless steel, 1xSS needle bushing.
- ★ Studs: Stainless Steel
- ★ Weight: Ti spindle- 300g(pair) / SS spindle- 335g(pair)



BOTTOM BRACKETS

K-TYPE
series BB

ISIS DRIVE BB
series

BB30 ADAPTOR
Pressfit BB86 BB90

**Chainring bolts &
Crank arm extractors**

Cranksets
Derailleur system
Cassette
Pedals
Bottom brackets
Cycling sets
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Road/MTB brake calipers
ankle shoes & Pads
DLC brake systems & Mount adapters

Quick Release skewer
Jockey wheels & box
Components
Screws & Bolts
Bearings
Assemblers
CNC distributors
CNC milling codes & specification charts

K-TYPE
series BB



1. K-TYPE BB ROAD



2. K-TYPE BB XC



3. K-TYPE BB DH

1. K-TYPE BB ROAD

- ★ Spindle: Scandium T 7451
- ★ BB shell: 68mm(BSA) 1.37"x24T, 70mm(TA) 1.41"x24T
- ★ Bearing: 6805 cartridge ceramic balls or cartridge stainless steel balls.

2. K-TYPE BB XC

- ★ Spindle: Scandium T 7451
- ★ BB shell: 68/73mm(BSA) 1.37"x24T
- ★ Bearing: 6805 cartridge ceramic balls or cartridge stainless steel balls.

3. K-TYPE BB DH

- ★ Spindle: Scandium T 7451
- ★ BB shell: 68/73mm(BSA) 1.37"x24T, 83mm(BSA) 1.37"x24T
- ★ Bearing: 6805 cartridge ceramic balls or cartridge stainless steel balls.

BOTTOM BRACKETS

Shimano Compatible BB



1. ROAD BB



2. XC BB

1. ROAD BB - for Shimano
2. XC BB - for Shimano

- ★ Material: AL7075 bearing cup and center sleeve.
- ★ Durable stainless steel bearing, well performed against wear and rusting.
- ★ Road BB: 68mm BSA; XC BB: 68/73mm(BSA)
- ★ BB axle & bolts not included*

Cranksets
Derailleur system
Cassette
Pedals
Bottom brackets
Cycling sets
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Road/MTB brake calipers
axle shoes & Pads
DTC brake systems & Mount adapters

Quick Release Skewer
Jockey wheels & box
Components
Screws & Bolts
Bearings
Assemblers
CNC distributors
CNC milling codes & specification charts.

MTS DRIVE BB
series



1. Titanium RACE LITE



2. Titanium MTB/XC



3. Tapper roller bearing BB

1. Titanium RACE LITE
2. Titanium MTB/XC

- ★ Spindle: 6/4 titanium.
- ★ RD BB shell: 68mm-108mm axle(BSA) 1.37"x24T, 70mm-108mm axle(TA) 1.41"x24T
- ★ XC BB shell: 68/73mm-113 axle(BSA) 1.37"x24T, 68/73mm-118 axle(BSA) 1.37"x24T
- ★ Bearing: 215317 cartridge ceramic balls / 215317 cartridge stainless steel balls.

3. Tapper roller bearing BB

- ★ Forged alloy 6061 and CNC machined bearing cup.
- ★ Plastic center sleeve
- ★ I.D 24mm steel taper rolling Bearings with o-ring seals
- ★ BC 1.37"x24T-68 and 73mm width
- ★ Compatible with Shimano MTB chainset.
- ★ Designed for intensive and heavy-duty usage.

BOTTOM BRACKETS



PF30 Adaptor



1. PF30 adaptor



BB30 Adaptor



2. BB30 RD / MTB



3. BB86 Press fit



4. BB92 Press fit

1. PF30 adaptor

- ★ Used on PF30 (Dia.46mm) BB shell bike frame, allows you to use 24/25(with shim) mm axle Shimano or KCNC compatible crankset.
- ★ BB shell insertion diameter: 46mm(PF30 spec), Bearing inner diameter 24, 25mm(with shim). For Shimano 24mm axle crankset, For KCNC K type 25mm axle crankset.
- ★ Can be used on both Road&MTB crankset

2. BB30 RD / MTB

- ★ This adaptor is for BB30 bike frame user to adopt 68mm / 68-73mm BB shell Road / MTB cranksets.
- ★ Stainless steel bearings with O-ring seals.
- ★ Center thread lock on design for maximum stability.
- ★ Color option: Black, Red, Gold

3. BB86 Press fit

- ★ Material: AL 7075, CNC machined bearing cup.
- ★ Center engage design for maximum stability.
- ★ Stainless steel bearings with o-ring seals.
- ★ Compatible with KCNC K-TYPE and Shimano cranksets.

4. BB92 Press fit

Cranksets
Derailleur system
Cassette
Pedals

Bottom brackets
Cycling sets
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Road&MTB brake calipers
axle spacers & Posts
Disc brake systems & Mount adapters

Quick Release skewer
Jockey wheels & box
Components
Screws & Bolts
Bearings
Assemblies
KCNC distributors
KCNC ordering codes & specification charts.

Chainring bolts & Crank arm extractors



1. SPB0013 & SPB0014



2. SPB009 for Campy



3. Crank arm extractors

1. SPB0013 & SPB0014 - for Shimano
SPB003 & SPB004 - for Shimano
2. SPB009 for Campy - for Campy Super Record

- ★ Material: 7075AL
- ★ Colours Available : Black,Blue,Gold,Green Silver & Red anodized finish.
- ★ With KCNC laser engraved logo.
- ★ Patented design
- ★ SPB0013: M8.5x0.75x4.5mm[A] M8.5x0.75x3.5mm[B]
- ★ SPB0014: M8.5x0.75x6mm[A] M8.5x0.75x5.5mm[B]
- ★ SPB003: M8x0.75x6.5mm[A] M8x0.75x4mm[B]
- ★ SPB004: M8x0.75x8.5mm[A] M8x0.75x6.5mm[B]

3. Crank arm extractors

- ★ AL 7075 with anodized finish.
- ★ Extractor for KCNC cranksets arm.



CHAINRING SETS

K3-COBWEB SERIES
BLADE SERIES
STANDARD SERIES

K3-COBWEB SERIES



1. Road



2. MTB triple



3. MTB double

1. Road

- ★ 58/44, 53/39, 50/34 (Compact)
- ★ Material: AL 7075
- ★ BCD: 5 bolt 130mm/110mm
- ★ Full CNC machined with anodized finish.

2. MTB triple

- ★ 48/36/24T, 44/32/22T, 40/30/20T
- ★ Material: AL 7075
- ★ BCD: 4 bolt 104/84 BCD, 5 bolt 94-58 BCD.
- ★ Full CNC machined with anodized finish.

3. MTB double

- ★ 45/30T, 42/29T, 42/27T, 40/27T, 40/26T, 38/26T, 38/24T, 36/22T
- ★ Material: AL 7075
- ★ BCD: 4 bolt 104/84mm.
- ★ Full CNC machined with anodized finish.

BLADE SERIES

ROAD chainring sets



1. ROAD

2. MTB triple



3. MTB Double

1. ROAD

- ★ 58/44T, 53-39T/50-34T(compact)
- ★ Material: AL 7075
- ★ BCD: 5 bolt 130mm/110mm
- ★ Full CNC machined with anodized finish.

2. MTB triple

- ★ 44/32/22T, 40/30/20T.
- ★ Material: AL 7075
- ★ BCD: 4 bolt 104/64 BCD, 94-58 BCD.
- ★ Full CNC machined with anodized finish.

3. MTB Double

- ★ 45/30T, 42/29T, 42/27T, 40/27T, 40/26T, 38/26T, 38/24T, 36/22T.
- ★ Material: AL 7075
- ★ BCD: 4 bolt 104/64mm.
- ★ Full CNC machined with anodized finish.

MTB Double- 88 BCD

- ★ 44-30T, 42-30T, 40-28T
- ★ Material: AL 7075
- ★ BCD: 4 bolt 88mm.
- ★ Full CNC machined with anodized finish.

STANDARD SERIES

ROAD chainring sets



1. RD 53-39T



3. RD 50-34T Compact

MTB chainring sets



2. XC 44-32-22T



4. XC 42-29T Double



5. Bear Ring DH-Single speed

1. RD 53-39T

- ★ Material: AL 7075
- ★ BCD: 5 bolt 130mm

2. XC 44-32-22T

- ★ Material: AL 7075
- ★ BCD: 4 bolt 104/64mm

3. RD 50-34T Compact

- ★ Material: AL 7075
- ★ BCD: 5 bolt 110mm

4. XC 42-29T Double

- ★ Material: AL 7075
- ★ BCD: 5 bolt 94mm

5. Bear Ring DH-Single speed

- ★ Material: Made of AL7075
- ★ 5mm thick single ring crankset.
- ★ BCD: 4 bolt 104mm
- ★ Teeth: 32,34,36,38,39,42,44T
- ★ Black anodized.

Cranksets
Derailleur system
Cassette
Pedals
Nut and washers
Clamping arms
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Road/MTB brake calipers
angle adjust & Post
DLC brake systems & Mount adapters

Quick Release skewer
Jockey wheels & box
Components
Screws & Bolts
Bearings
Assemblies
CNC distributors
CNC milling codes & specification charts



PH. Van Leemputten-Claes

HEADSETS



1. Morion KM1

- ★ 1-1/8 inch, Integrated.
- ★ AL 6061 crown race.
- ★ Bearing dimension: O.D. 41mm.
- ★ Angular contact 45° , Height 6.5mm.
- ★ Ti-DLC/Ceramic cartridge ball bearing.
- ★ Cane Creek IS-2, IS-3 compatible.

2. Morion KM2

- ★ 1-1/8 inch, Semi-Integrated.
- ★ AL 6061 head tube race.
- ★ Upper&Lower head tube insertion diameter 44mm.
- ★ Ti-DLC/Ceramic cartridge ball bearing.

3. Morion KM3

- ★ 1-1/8 inch, Threadless.
- ★ AL 6061 crown race.
- ★ Upper&Lower head tube insertion diameter 34mm.
- ★ Ti-DLC/Ceramic cartridge ball bearing.

Radiant - SS bearing

1. Radiant KR1



2. RADIANT KR1 Tapered



3. Radiant KR2

1. Radiant KR1

- ★ 1-1/8 inch, Integrated.
- ★ AL 6061 crown race.
- ★ Bearing dimension: O.D. 41mm.
- ★ Angular contact 45°, Height 6.5mm.
- ★ Full Stainless Steel cartridge ball bearing.
- ★ Cane Creek IS-2, IS-3 compatible.

2. RADIANT KR1 Tapered

- ★ 1 1/8" upper, 1.5" lower headtube, integrated.
- ★ AL 6061 crown race.
- ★ Angular contact 45°, Height 6.5mm.
- ★ Full Stainless Steel cartridge ball bearing.

3. Radiant KR2

- ★ 1-1/8 inch, Semi-Integrated.
- ★ AL 6061 head tube race.
- ★ Upper&Lower head tube insertion diameter 44mm.
- ★ Full Stainless Steel cartridge ball bearing.

Radiant - SS bearing

1. Radiant KR3



2. Radiant KR4

1. Radiant KR3

- ★ 1-1/8 inch, Threadless.
- ★ AL 6061 crown race.
- ★ Upper&Lower head tube insertion diameter 34mm.
- ★ Full Stainless Steel ball bearing with TN finished surface.

2. Radiant KR4

- ★ 1.5 inch, Threadless.
- ★ AL 6061 crown race.
- ★ Upper&Lower head tube insertion diameter 49.65mm.
- ★ Bearing: Full Stainless Steel ball bearing with TN finished surface.

Tapered - steel bearing



KHS-PT1860

KHS-PT1860

- ★ 1-1/8" upper, 1.5" bottom (integrated)
- ★ Material: AL6061 top cover&cap, steel bearing&bolt.
- ★ Bearing size: \varnothing ID28.6xOD41.8x8mm-45° (upper)
 \varnothing ID39.6xOD51.8 x8mm-45° (bottom)
- ★ Stack height: 9+1 mm
- ★ Color option: Black, Red, Gold.

Steel bearing



1.KHS-F10

2.KHS-F13

1. KHS-F10

- ★ Heavy Duty headset, head tube 1-1/8" upper, 1.5" bottom.
- ★ Material: AL6061 with AL7075 crown race
- ★ Head tube insertion diameter: 44mm(upper), 49.6mm(bottom)
- ★ Stack height: 9.6+16.3 mm
- ★ Finish: Black anodized only

2. KHS-F13

- ★ 1-1/8" upper, 1.5" bottom (Semi-integrated)
- ★ Material: AL6061 bearing cups, steel bearing&bolt.
- ★ Head tube insertion diameter: 44mm(upper), 56mm(bottom)
- ★ Stack height: 9.6+2.8 mm
- ★ Color option: Black, Red, Gold.



1. OMEGA-S1



2. OMEGA-S2



3. OMEGA-S3

1. OMEGA-S1

- ★ 1 1/8" Integrated
- ★ Stack Height: 8mm
- ★ Bearing: Sealed AC Bearings 41x45" x6.5
- ★ Material: Top cover AL6061 with stainless steel crown race.
- ★ Cane Creek IS-2, IS-3 compatible for 45" headtube.
- ★ Color option: Black, Red, Gold, Silver, Blue, Green.

2. OMEGA-S2

- ★ 1 1/8" Integrated
- ★ Stack Height: 10mm
- ★ Bearing: Sealed AC Bearings 41.8x45" x8
- ★ Material: Top cover AL6061 with stainless steel crown race.
- ★ Ritchey compatible for 45" headtube.
- ★ Color option: Black, Red, Gold, Silver, Blue, Green.

3. OMEGA-S3

- ★ 1 1/8" Integrated
- ★ Stack Height: 15mm
- ★ Bearing: Sealed AC Bearings 41.8x45" x8
- ★ Material: Top cover AL6061 with stainless steel crown race.
- ★ Cane Creek Zs2, Campy compatible for 45" headtube.
- ★ Color option: Black, Red, Gold, Silver, Blue, Green.



1. KUDOS-Q1



2. CADAC-K1

1. KUDOS-Q1

- ★ 1 1/8" Semi-Integrated
- ★ Stack Height: 13mm
- ★ Head tube insertion diameter: Ø44
- ★ Bearing: Sealed AC Bearings 41x45" x6.5
- ★ Material: AL6061 body with steel crown race.
- ★ Cane Creek Zs2, Campy compatible for 45" headtube.
- ★ Color option: Black, Red, Gold, Silver, Blue, Green.

2. CADAC-K1

- ★ 1 1/8" Threadless
- ★ Design specifically for MTB DH, Dirt Jump usage.
- ★ Stack Height: 33mm
- ★ Head tube insertion diameter: Ø34
- ★ Bearing: Sealed AC Bearings 44x45" x6.5
- ★ Material: AL6061 with stainless steel crown race.
- ★ Cane Creek Zs2, Campy compatible for 45" headtube.
- ★ Color option: Black, Red, Gold, Silver, Blue, Green.



STEMS



ARROW

ARROW

- ★ 7" or 17" riser stem.
- ★ AL7075 with Ti bolts, Black and White paint coating.
- ★ 7" Extension: 80/90/100/110/120/130mm.
- ★ 17" Extension: 70/80/90/100/110/120/130/140/150mm.
- ★ O/S 31.8 bar bore diameter.



1. SC WING



1. Team issue



2. Ti pro



2. Fly ride

1. SC WING

- ★ Material: T7451 scandium alloy
- ★ Clamp diameter: 25.4/26/31.8mm
- ★ Steerer diameter: 28.6mm(1-1/8")
- ★ Extension: 50/60/70/80/90/100/110/120/130mm
- ★ Rise: 5 degree
- ★ Stack Height: 38mm
- ★ Bolts: Titanium*6
- ★ Full CNC machined& Sand Blasted with anodized finish.

2. Ti pro

- ★ Material: AL7075
- ★ Clamp diameter: 25.4/26mm
- ★ Steerer diameter: 28.6mm(1-1/8")
- ★ Extension: 50/60/70/80/90/100/110/120/130mm
- ★ Rise: 5 degree
- ★ Stack Height: 38mm
- ★ Bolts: Titanium*6
- ★ Full CNC machined& Sand Blasted with anodized finish.

1. Team issue

- ★ Material: AL7075
- ★ Clamp diameter: 31.8mm
- ★ Steerer diameter: 28.6mm(1-1/8")
- ★ Extension: 50/60/70/80/90/100/110/120/130mm
- ★ Rise: 5 degree
- ★ Stack Height: 38mm
- ★ Bolts: Titanium*6
- ★ Full CNC machined& Sand Blasted with anodized finish.

2. Fly ride

- ★ Material: AL6061
- ★ Clamp diameter: 25.4/31.8mm
- ★ Steerer diameter: 28.6mm(1-1/8")
- ★ Extension: 50/60/70/80/90/100/110/120/130mm
- ★ Rise: 5 degree
- ★ Stack Height: 38mm
- ★ Bolts: Stainless steel*6
- ★ Full CNC machined& Sand Blasted with anodized finish.



1. ST-13 CNC



2. ST-63



1. Beta 33



2. Beta 34



3. BEAR ARM



4. FREE RIDE



3. DH PRO

1. ST-13 CNC

- ★ Material: AL6061
- ★ Clamp diameter: 25mm
- ★ Steerer diameter: 28.6mm (1-1/8")
- ★ Extension: 60/80/90/100/110/120mm
- ★ Rise: 0 degree
- ★ Stack Height: 38mm
- ★ Bolts: Stainless steel*6
- ★ Full CNC machined with anodized finish.

2. ST-63

- ★ Material: AL6061
- ★ Clamp diameter: 25.4/26/31.8mm
- ★ Steerer diameter: 28.6mm (1-1/8")
- ★ Extension: 60/90/100/110/120mm
- ★ Rise: 5 degree
- ★ Stack Height: 38mm
- ★ Bolts: Stainless steel*6

3. BEAR ARM

- ★ Material: AL6061
- ★ Clamp diameter: 31.8mm
- ★ Steerer diameter: 28.6mm (1-1/8")
- ★ Extension: 50/70/100mm
- ★ Rise: 5 degree
- ★ Stack Height: 38mm
- ★ Bolts: Stainless steel*6
- ★ Full CNC machined with anodized finish.

4. FREE RIDE

- ★ Material: AL7075
- ★ Clamp diameter: 25.4/31.8mm
- ★ Steerer diameter: 28.6mm (1-1/8")
- ★ Extension: 50/60/70/100mm
- ★ Rise: 10 degree
- ★ Stack Height: 38mm
- ★ Bolts: scandium alloy*6
- ★ Full CNC machined with anodized finish.

1. Beta 33

- ★ Stem for FR/MTB use
- ★ Material: AL6061-T6
- ★ Steerer diameter: 28.6mm
- ★ Clamp diameter: 31.8mm
- ★ Extensions: 50mm, 70mm, 90mm
- ★ Rise: 5 degree
- ★ Bolts: 6 pcs stainless steel
- ★ Full CNC machined with anodized finish

2. Beta 34

- ★ Stem for FR/MTB use
- ★ Material: AL6061-T6
- ★ Steerer diameter: 28.6mm
- ★ Clamp diameter: 31.8mm
- ★ Extensions: 50mm, 70mm, 90mm
- ★ Rise: 5 degree
- ★ Bolts: 6 pcs stainless steel
- ★ Full CNC machined with anodized finish

3. DH PRO

- ★ Designed for MTB FR/DH usage.
- ★ Material: AL6061-T6
- ★ Steerer diameter: 28.6mm
- ★ Clamp diameter: 25.4/31.8mm
- ★ Extensions: 40mm, 50mm.
- ★ Rise: 5 degree
- ★ Bolts: 7 pcs stainless steel
- ★ Full CNC machined with anodized finish



HANDLE BARS

FLAT BARS- **RISER BARS-** **RISER BARS-**
15MM **1.5 INCH**
RISER BARS- **RISER BARS-**
1 INCH **2 INCH**

Cranksets
 Derailleur system
 Cassette
 Pedals
 Bottom brackets
 Drivetrain
 Headsets
 Stems

Intaxation
 ROAD bars
 Seatposts
 Seatpost Clamps
 Colours / Housing
 Road/MTB brake calipers
 brake shoes & Pads
 Disc brake systems & Mount adapters

Quick Release skewer
 Jockey wheels & box
 Components
 Screws & Bolts
 Bearings
 Axles
 CNC distributors
 CNC milling codes & specification charts

FLAT BARS



1. SC Bone-flat

- ★ Material: Scandium alloy T-7451
- ★ Length: 600mm / 710mm for 29er
- ★ Diameter: 25.4/31.8mm (600mm)
- ★ Diameter: 31.8 only for 710mm 29er
- ★ Rise: 0 degree
- ★ Backsweep: 8 or 10 degrees.
- ★ Sand blasted& anodized finish.

2. Darkside-flat

- ★ Material: AL7075
- ★ Diameter: 25.4/31.8mm (600mm)
- ★ Rise: 0 degree
- ★ Backsweep: 8 or 10 degrees.
- ★ Sand blasted& anodized finish.

3. Flampant-flat

- ★ Material: AL6061
- ★ Length: 600mm / 710mm for 29er
- ★ Diameter: 25.4/31.8mm (600mm)
- ★ Diameter: 31.8 only for 710mm 29er
- ★ Rise: 0 degree
- ★ Backsweep: 8 or 10 degrees.
- ★ Sand blasted& anodized finish.
- ★ Color: Black, Blue, Gold, Green, Red.

RISE BARS- 15mm



1. SC Bone-rise 15mm



2. Darkside-rise 15mm



3. Rampant-rise 15mm

1. SC Bone-rise 15mm
★ Material: Scandium alloy T7451
★ Length: 710mm
★ Diameter: 25.4/31.8mm
★ Rise: 15 mm
★ Backsweep: 8 degree
★ Sand blasted& anodized finish.

2. Darkside-rise 15mm
★ Material: AL7075
★ Length: 710mm
★ Diameter: 25.4/31.8mm
★ Rise: 15 mm
★ Backsweep: 8 degree
★ Sand blasted& anodized finish.

3. Rampant-rise 15mm
★ Material: AL6061
★ Length: 710mm
★ Diameter: 25.4/31.8mm
★ Rise: 15 mm
★ Backsweep: 8 degree
★ Sand blasted& anodized finish.
★ Color: Black, Blue, Gold, Green, Red.

RISE BARS- 1 INCH



1. SC Bone-rise 1 inch



2. Darkside-rise 1 inch



3. Rampant-rise 1 inch

1. SC Bone-rise 1 inch
★ Material: Scandium alloy T7451
★ Length: 710mm
★ Diameter: 25.4/31.8mm
★ Rise: 1 inch
★ Backsweep: 8 degree
★ Sand blasted& anodized finish.

2. Darkside-rise 1 inch
★ Material: AL7075
★ Length: 710mm
★ Diameter: 25.4/31.8mm
★ Rise: 1 inch
★ Backsweep: 8 degree
★ Sand blasted& anodized finish.

3. Rampant-rise 1 inch
★ Material: AL6061
★ Length: 710mm
★ Diameter: 25.4/31.8mm
★ Rise: 1 inch
★ Backsweep: 8 degree
★ Sand blasted& anodized finish.

HANDLE BARS

Cranksets
Derailleur system
Cassette
Pedals
Bottom bracket
Downring sets
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost clamps
Cables / Housing
Road/MTB brake calipers
Ankle shoes & Pads
DLC brake systems & Mount adapters

Quick Release skewer
Jockey wheels & box
Components
Screws & Bolts
Seatings
Assories
CNC distribution
CNC milling codes & specification charts

RISEB BARS- 1.5 INCH



1. SC Bone-riser 1.5 inch



2. Darkside-riser 1.5 inch



3. Rampant-riser 1.5 inch

1. SC Bone-riser 1.5 inch
★ Material: Scandium alloy T7451
★ Length: 710mm
★ Diameter: 25.4/31.8mm
★ Rise: 1.5 inch
★ Backsweep: 8 degree
★ Sand blasted& anodized finish.

2. Darkside-riser 1.5 inch
★ Material: AL7075
★ Length: 710mm
★ Diameter: 25.4/31.8mm
★ Rise: 1.5 inch
★ Backsweep: 8 degree
★ Sand blasted& anodized finish.

3. Rampant-riser 1.5 inch
★ Material: AL6061
★ Length: 710mm
★ Diameter: 25.4/31.8mm
★ Rise: 1.5 inch
★ Backsweep: 8 degree
★ Sand blasted& anodized finish.

RISEB BARS- 2 INCH



1. SC Bone-riser 2 inch



2. Darkside-riser 2 inch



3. Rampant-riser 2 inch

1. SC Bone-riser 2 inch
★ Material: Scandium alloy T7451
★ Length: 710mm
★ Diameter: 25.4/31.8mm
★ Rise: 2 inch
★ Backsweep: 8 degree
★ Sand blasted& anodized finish.

2. Darkside-riser 2 inch
★ Material: AL 7075
★ Length: 710mm
★ Diameter: 25.4/31.8mm
★ Rise: 2 inch
★ Backsweep: 8 degree
★ Sand blasted& anodized finish.

3. Rampant-riser 2 inch
★ Material: AL6061
★ Length: 710mm
★ Diameter: 25.4/31.8mm
★ Rise: 2 inch
★ Backsweep: 8 degree
★ Sand blasted& anodized finish.



ROAD BARS

ROAD bars

Triathlon bar

Aerobar

Barends

Bar ends/Plugs

ROAD bars



1. SC force



2. Pure Curve 7075



3. Pure Curve 6061

1. SC force

- ★ Material: scandium alloy T7451
- ★ Center to center width: 400/420/440mm
- ★ Diameter: 26/31.8mm
- ★ Reach: 145mm
- ★ Drop: 175mm

2. Pure Curve 7075

- ★ Material: AL 7075
- ★ Center to center width: 400/420/440mm
- ★ Diameter: 26/31.8mm
- ★ Reach: 145mm
- ★ Drop: 175mm

3. Pure Curve 6061

- ★ Material: AL 6061
- ★ Center to center width: 400/420/440mm
- ★ Diameter: 26/31.8mm
- ★ Reach: 145mm
- ★ Drop: 175mm

Triathlon bar



1. RBS Lite



2. RBS Pro

1. RBS Lite

2. RBS Pro

- ★ Material: AL6061
- ★ O/S 31.8mm bars with detachable extensions.
- ★ Fully CNC machined brackets for precise alignment and rigidity.
- ★ Armrests horizontally adjustable by 17 degree (in& out).
- ★ Horizontal extension length adjustable by 100mm, (S bend)(J bend) available.
- ★ Five vertical height adjustments for optimal comfort.
- ★ Available width: 380/400/420mm
- ★ 440mm center to center.
- ★ Sand blasted& anodized finish.

Aerobar



1. Centrilock



2. Aerotekk

1. Centrilock

- ★ Unique Up&Down angle adjustment aerobar at 21.6° each direction.
- ★ Width adjustment from 390–420mm with mark indication.
- ★ Armrest bracket with slight angle&height adjustment.
- ★ Aero extension with arm length and rotational adjustment, (S bend)(J bend) available.
- ★ Material: AL7075
- ★ Clamp diameter: 31.8mm

2. Aerotekk

- ★ Slimline aerodynamic profile, aero extension with arm length and rotational adjustment,(S bend)(J bend) available.
- ★ Width: 390 or 420mm.
- ★ Material: AL6061
- ★ Clamp diameter: 31.8mm

Barends



1. BE1

Bar ends/Plugs



1. Bar end plugs



2. BE2



2. Bar end plugs- HBC01

1. BE1

- ★ Material: 7075AL
- ★ Length: 115mm, Grip length:85mm
- ★ Bolts: Scandium alloy M8.
- ★ Full CNC machined with easy grip contour.
- ★ Sand Blasted anodized with black/gold/red/blue/silver color anodized.

2. BE2

- ★ Material: 6061AL
- ★ Length: 115mm, Grip length:85mm
- ★ Bolts: stainless steel M8.
- ★ Full CNC machined with easy grip contour.
- ★ Sand Blasted anodized with black/gold/red/blue/silver/green color anodized.

1. Bar end plugs

- ★ Material: AL6061
- ★ Adjustable range: 18-25mm
- ★ Full CNC machined top cap.

2. Bar end plugs- HBC01

- ★ Material: AL6061
- ★ Designed for ROAD handle bars
- ★ Full CNC machined cap.

Cranksets
Derailleur system
Cassette
Pedals
Bottom bracket
Chainring sets
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost clamps
Cables / Housing
Road/MTB brake calipers
Ankle shoes & Pads
DLC brake systems & Mount adapters

Quick Release skewer
Jockey wheels & box
Components
Screws & Bolts
Bearings
Adapters
CNC distributors
CNC milling codes & specification charts



SEATPOSTS



ISP clamp- Majestic

ISP clamp- Majestic

- ★ AL7075 body and accessory, M6*37mm+M6*47mm Ti bolts.
- ★ Zero setback - 50mm/100mm L.
- ★ 25mm setback - 50mm/100mm L.
- ★ Dia 34.9mm.

SEATPOSTS

Cranksets
Derailleur system
Cassette
Pedals
Bottom bracket
Cleaving pins
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost clamps
Cables / Housing
Road/MTB brake calipers
Ankle shoes & Pads
Disc brake systems & Mount adapters

Quick Release skewer
Jockey wheels & box
Components
Screws & Bolts
Bearings
Assemblies
KCNC distributors
KCNC ordering codes & specification charts



1. Ti Pro Lite



2. SC Pro Lite



3. Lite Wing

1. Ti Pro Lite

- ★ Material: Double butted scandium alloy T-7451
- ★ Diameter: 27.2/30.9/31.6/34.9mm
- ★ Length: 350/400mm
- ★ M6/37mm & 47mm titanium bolts
- ★ For ROAD/XC

2. SC Pro Lite

- ★ Material: Double butted scandium alloy T7451
- ★ Diameter: 27.2/30.9/31.6mm
- ★ Length: 350/400mm
- ★ Color: Black anodized,
- ★ For ROAD/XC

3. Lite Wing

- ★ Material: AL 7075
- ★ Diameter: 33.0/34.9mm
- ★ Length: 550mm
- ★ Color: Black/Gold/Red/Blue anodized.
- ★ "Extra long post for folding bikes usage"



1. Seatpost Bag



2. T1R



3. T3R



4. T4R

1. Seatpost Bag

- ★ Click and release simple removable rack with safety lock function.
- ★ Bag rack with vertical angle adjustment function at your convenience.
- ★ Provides four sizes of seatpost clamp: 27.2 / 30.9 / 31.6 / 34.9mm.
- ★ Material: Denier nylon + EVA foam, AL8061 bag rack.
- ★ Capacity: 5L
- ★ Maximum weight capacity: 5kg
- ★ Size: Length x Width x Height
30*15*15 cm without alloy rack

2. T1R

- ★ Material: Double butted scandium alloy T7451
- ★ Diameter: 31.6mm
- ★ Length: 350mm
- ★ Color: Black anodized.
- ★ Bolts: 6/4 Ti M8x2
- ★ For DH/FR/XC usage.

3. T3R

- ★ Material: AL7075
- ★ Diameter: 27.2/30.9/31.6mm
- ★ Length: 350mm
- ★ Color: Black anodized.
- ★ For ROAD/XC usage.

4. T4R

- ★ Material: AL7075
- ★ Diameter: 27.2/30.9/31.6mm
- ★ Length: 350mm
- ★ Color: Black anodized.
- ★ For ROAD/XC usage

SEATPOSTS CLAMPS

Cranksets
Derailleur system
Cassette
Pedals
Bottom bracket
Chaining sets
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Road/MTB brake calipers
Ankle shoes & Pads
Disc brake systems & Mount adapters

Quick Release skewer
Jockey wheels & box
Components
Screws & Bolts
Seatings
Assessing
KCNK distributors
KCNK ordering codes & specification charts



AL7075



AL6061



1. Seatpost bottle cage clamp



2. MTB QR clamps SC10



3. MTB QR clamp SC12



4. MTB clamp SC11



1. Seatpost bottle cage clamp

- ★ Allows you to install an extra bottle cage on the seatpost.
- ★ Clamp body dia. 27.2/30.9/31.8/34.9mm.
- ★ AL7075 clamp body with Ti bolts.
- ★ AL6061 clamp body with SUS bolts.
- ★ Black, Red, Gold, Blue, Silver, Green available.

2. MTB QR clamps SC10

- ★ Material: AL7075 with 6/4 Ti axle.
- ★ Clamp diameter: 31.8/34.9/36.4/36.9/38.2/39mm
- ★ Hollow lever design with self-lubricating brass.

3. MTB QR Clamp SC12

- ★ Material: AL6061 with stainless steel lever axle.
- ★ Clamp diameter: 31.8/34.9mm
- ★ KCNC hollow lever design with self-lubricating brass.

4. MTB clamps SC11

- ★ Material: AL7075
- ★ Clamp diameter: 31.8/34.9/36.4/36.9/38.2/39mm
- ★ Scandium alloy Allen bolt.



1. SC13 twin clamp



2. Seatpost grip



3. ROAD Pro



4. ROAD Lite

1. SC13 twin clamp

- ★ AL7075, concealed inner o-rings design, ideal for carbon seatpost to avoid slippery falling.
- ★ Color: Black, Red, Blue, Gold anodized.
- ★ Size: 30.7/27.2mm, 31.8/27.2mm, 34.9/30.9mm, 34.9/31.6mm.

2. Seatpost grip SC 14

Must work together with seatpost clamp, concealed inner o-rings prevents carbon fiber seatpost from falling.

- ★ AL6061
- ★ Size: 30.7/27.2mm, 31.8/27.2mm, 34.9/30.9mm, 34.9/31.6mm.

3. ROAD Pro

- ★ Material: AL7075
- ★ Clamp diameter: 30.7/31.8/34.9/38.2mm
- ★ M5 Ti bolt.

4. ROAD Lite

- ★ Material: AL7075
- ★ Clamp diameter: 30.7/31.8/34.9/35.6mm
- ★ M5 Ti or stainless steel bolt.




CABLES / HOUSING

Cranksets
 Derailleur system
 Cassette
 Pedals
 Bottom bracket
 Chainring
 Headset
 Stems
 Handlebars
 ROAD bars
 Seatposts
 Seatpost Clamps
 Cables/braking
 Road/MTB brake calipers
 Brake shoes & Pads
 Disc brake systems & Mount adapters
 Quick Release skewer
 Jockey wheels & box
 Components
 Screws & Bolts
 Bearings
 Axles
 CNC distributors
 CNC milling codes & specification charts

NANO-DIAMOND (PTFE) TEFLON COATING INNER CABLES



Stainless steel



Titanium

Nano-diamond (PTFE) Teflon coating inner cables


Advantages: Extremely low friction, long lasting performance.

Material: Sick stainless steel or Titanium

★ Road/MTB brake cables: Ø 1.5mm. Length (1M+1.7M).

★ Road/MTB shift cables: Ø 1.1mm. Length (1.8M+2.1M).

★ Stainless steel: Dark grey / Titanium: gold color.



1. Wire/housing kits



2. FEP Teflon coating inner cables

1. Wire/housing kits

- ★ Road brake housing&wire kit
2.5m housing*1, 900mm wire*1, 1700mm wire*1
cable tip*3, housing cap*10, o-ring*6
- ★ MTB brake housing&wire kit
2.5m housing*1, 900mm wire*1, 1700mm wire*1
cable tip*3, housing cap*10, o-ring*6
- ★ Shifter housing&wire kit
2.2m housing*1, 1800mm wire*1, 2100mm wire*1
cable tip *3, housing cap *6, o-ring *6
- ★ Black, Red, White color available.

2. FEP Teflon coating inner cables

- Advantages: Low friction, long lasting performance.
Material: Slick stainless steel.
- ★ Road/MTB brake cables: Dia. 1.5mm*1.7M / Dia. 1.5mm*3.4M(red color only)
 - ★ Road/MTB shift cables: Dia. 1.1mm*2.1M / Dia. 1.1mm*4.2M(red color only)
 - ★ 50pcs/box package available.



1. Cable housing



2. Ferrules



3. Cable Tips

1. Cable housing

- ★ Stainless steel braided wire, carbon fiber pattern.
- ★ Alloy & Stainless steel braided wire, carbon fiber pattern.
- ★ Shift cable housing(4mm)
- ★ Brake cable housing(5mm)
- ★ 30 meters package.

2. Ferrules

- ★ For 4mm shift cable housing.
- ★ For 5mm brake cable housing.
- ★ 150pcs/bottle.

3. Cable Tips

- ★ AL6061, 500pcs/bottle.



ROAD & MTB BRAKE CALIPERS

[ROAD brake caliper]

[MTB brake caliper]

[Brake shoes & Pads]

[ROAD brake caliper]



C7

- ★ Material AL 7075
- ★ Dual pivots design caliper brake for even power distribution.
- ★ Light weight & compact with fast heat dispense.
- ★ Increased leverage ratio with 15% more braking power than KCNC CB1.
- ★ Equipped with Swissstop flashPro GHP11 pad.

ROAD & MTB BRAKE CALIPERS

Cranksets
Derailleur system
Cassette
Pedals
Bottom bracket
Cleaning sets
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Road/MTB brake calipers
Brake shoes & Pads
DLC brake systems & Mount adaptor

Quick Release skewer
Jockey wheels & box
Components
Screws & Bolts
Bearings
Axle caps
KCNC distributors
KCNC ordering codes & specification charts

[ROAD brake caliper]



CB6

CB6

- ★ Material AL 6061
- ★ Dual pivots design caliper brake for even power distribution.
- ★ Light weight& compact with fast heat dispense.
- ★ Increased leverage ratio with 20% more braking power than KCNC CB1.
- ★ Color option: Black,Red,Gold,Silver,Blue,Green.



Discontinued

CB1

CB1

- ★ Material AL 7075
- ★ Dual pivots design caliper brake for even power distribution.
- ★ Light weight& compact with fast heat dispense.
- ★ Equipped with Swissstop flashPro GHPiI pad.

ROAD & MTB BRAKE CALIPERS

Cranksets
Derailleur system
Cassette
Pedals
Bottom bracket
Cleaving pins
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Road/MTB brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors

Quick Release skewer
Jockey wheels & box
Components
Screws & Bolts
Spacers
Axles
CNC distributors
CNC milling codes & specification charts



1. Time trial TT brake lever



2. VB1 - Levers



3. VB6-LEVERS

1. Time trial TT brake lever

- ★ AL7075 body with expander.
- ★ Black, Red, Silver, and Gold anodized.

2. VB1 - Levers

- ★ Material: AL 7075
- ★ Leverage: 92mm
- ★ Connecting clamp and lever bolt: M8 gold anodized finish.
- ★ Cable adjuster: Silver anodized finish.
- ★ Brake clamp and lever: Sand blasted black anodized.
- ★ Dual digit levers, glove friendly design.
- ★ Fully CNC machined.

3. VB6-LEVERS

- ★ Material: AL 6061
- ★ Leverage: 92mm
- ★ Connecting clamp and lever bolt: M8 gold anodized finish.
- ★ Cable adjuster: Silver anodized finish.
- ★ Brake clamp and lever: Sand blasted in six anodized colors.
- ★ Dual digit levers, glove friendly design.
- ★ Fully CNC machined.



1. VB1 - Brake arms



3. Cantilever brake



1. VB1 - Brake arms

- ★ Springs: Linear 6/4Ti rod.
- ★ Mounting hardware: Hard anodized 7075AL
- ★ Both M8& M10 frame/fork pivots provided.
- ★ Brake arms: 97mm in sand blasted black.

2. VB6-BRAKE ARMS

- ★ Springs: Linear stainless steel rod.
- ★ Mounting hardware: Hard anodized 6061AL
- ★ Both M8& M10 frame/fork pivots provided.
- ★ Brake arms: 100mm in six anodized colors.
- ★ Full CNC machined.

3. Cantilever brake

- ★ Full CNC machined AL7075/AL6061 brakes ,accessories.

Crankset
Derailleur system
Cassette
Pedals
Bottom Brackets
Chaining sets
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Front/MTB brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors

Quick Release Skewer
Jockey wheels & bolt
Components
Screws & Bolts
Bonnings
Assorted
ECMC distribution
ECMC ordering codes & specification charts.

Crankset
Derailleur system
Cassette
Pedals
Bottom Brackets
Chaining sets
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Front/MTB brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors

Quick Release Skewer
Jockey wheels & bolt
Components
Screws & Bolts
Bonnings
Assorted
ECMC distribution
ECMC ordering codes & specification charts.

Brake shoes & Pads



1. C7/CB1 Brake shoes & Pads



2. VB1/VB6 brake shoes & Pads M6 bolt



3. VB1/VB6 brake shoes & Pads M7 bolt

1. C7/CB1 Brake shoes & Pads

- ★ 54mm cartridge brake shoe set.
- ★ Aluminum pad holder.
- ★ Ti bolt and nut.
- ★ Shimano Dura-Ace BR7600 compatible.
- ★ Available in Swissstop flashPro GHP/Yellow King OEM pads.

2. VB1/VB6 brake shoes & Pads M6 bolt

- ★ M6 Ti bolts.
- ★ 72mm cartridge brake shoe set.
- ★ Angle adjustable design.
- ★ Shimano XTR/XT/KCNC VB1 Compatible


3. VB1/VB6 brake shoes & Pads M7 bolt

- ★ M7 scandium alloy bolts.
- ★ 72mm cartridge brake shoe set.
- ★ Angle adjustable design.
- ★ Only compatible with KCNC VB1.

Disc brake systems & Mount adaptors



1. Disc brake DB2-XX



2. Disc brake rotor-Titor

3. Disc brake rotor-Flazer

1. Disc brake DB2-XX

- ★ Hydraulic system rated to 8000 psi.
- ★ Reinforced Kevlar fiber/internal mesh braided hose.
- ★ Stainless steel rotor in 160/180/203mm diameter.
- ★ Semi-metallic brake pads.
- ★ Consistent reliable performance in all weather conditions.
- ★ IS mounting.
- ★ Oil observe window.
- ★ Low user maintenance design.
- ★ Please use "Mineral Oil Only"

2. Disc brake rotor-Titor

- ★ Heat treated 6-4 Titanium rotor
- ★ Sizes: 140/160/180/203mm diameter.

3. Disc brake rotor-Flazer

- ★ Stainless steel rotor.
- ★ Sizes: 140/160/180/203mm diameter.



DISC BRAKE SYSTEM / MOUNT ADAPTERS

Cranksets
Derailleur system
Cassette
Coasters
Pedals
Bottom brackets
Downring sets
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Road/MTB brake calipers
brake shoes & pads
DISC BRAKE SYSTEMS & MOUNT ADAPTERS

Quick Release skewer
Jockey wheels & bolt
Components
Screws & Bolts
Bearings
Axles
KCNV distributors
KCNV wiring codes & specification charts



X7 Ultra light disc brake

X7 Ultra light disc brake

- ★ Hydraulic system rated to 8000 psi.
- ★ Reinforced Kevlar fiber/internal mesh braided hose.
- ★ Ceramic-metallic mix compound brake pads.
- ★ F+R calipers: PM/IS or PM/PM mounting at option.
- ★ Consistent reliable performance in all weather conditions.
- ★ Oil observe window design on reservoir tank.
- ★ 160mm stainless steel rotorsx2, Ti caliper mounting bolt*4 and washers included.
- ★ Low maintenance design.

*Disc rotor bolts not provided
*Use hydraulic mineral oil only

DISC BRAKE SYSTEM / MOUNT ADAPTERS

Drivetrain
Derailleur system
Cassette
Pedals
Bottom bracket
Chainring sets
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost clamps
Cables / Housing
Road/MTB brake calipers
brake levers & pads
[DISC BRAKE SYSTEMS & MOUNT ADAPTERS](#)

Quick Release skewer
Jockey wheels & box
Components
Screws & Bolts
Bearings
Axles
KCNC distributors
KCNC ordering codes & specification charts



1. CNC disc brake adaptors



2. IS/IS adaptor

3. PM/IS adaptor

1. CNC disc brake adaptors

AL7075 CNC machined with SUS bolts, washers, designed for X7 disc brake.

- ★ Fork IS160->PM 160 adaptor)
- ★ Fork IS 160->PM 180 adaptor)
- ★ Fork IS 160->PM 203 adaptor)
- ★ Fork PM160->PM180 adaptor)
- ★ Fork PM160->PM203 adaptor)

2. IS/IS adaptor

- ★ Fork IS 160mm rotor to IS 180mm adaptor.
- ★ Fork IS 160mm rotor to IS 203mm adaptor.

3. PM/IS adaptors

- ★ Allows your IS mount disc brake to use on PM system.
- ★ Fork PM 160mm to IS 160mm adaptor.
- ★ Fork PM 160mm to IS 180mm adaptor.
- ★ Fork PM 160mm to IS 203mm adaptor.



1. Disc brake center lock



2. Disc Brake pad



3. X7 Disc Brake pad

1. Disc brake center lock

- ★ Fully CNC machined.
- ★ Material: AL7075 / AL6061
- ★ Precise, safe alignment and locking.
- ★ Standard QR12 or QR20 lock ring available.

2. Disc Brake pad

- ★ Compatible with KCNC DB2
- ★ HAYES HF-X-Mag/HFX-9 HYD.

3. X7 Disc Brake pad

- ★ Compatible with Shimano XTR / XT / KCNC X7

Crankset
Derailleur system
Cassette
Pedals
Bottom Brackets
Chainring sets
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Front/MTB brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors

Quick Release Skewer
Jockey wheels & bolts
Components
Screws & Bolts
Bearings
Assemblies
ECMC distributors
ECMC ordering codes & specification charts

Crankset
Derailleur system
Cassette
Pedals
Bottom Brackets
Chainring sets
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Front/MTB brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors

Quick Release Skewer
Jockey wheels & bolts
Components
Screws & Bolts
Bearings
Assemblies
ECMC distributors
ECMC ordering codes & specification charts

Quick release skewer



1. Grooving-OR skewer



2. KQR skewer



3. Z6 KQR skewer

1. Grooving-OR skewer

- ★ Titanium skewer center axle with unique four groove cuts design.
- ★ Durable nylon fiber shim on cam lever side brass nut.
- ★ Material: AL 7075 lever and nuts.
- ★ 6/4 Ti axle with stainless springs.
- ★ ROAD set: Front-100mm, Rear-130mm.
- ★ MTB set: Front-100mm, Rear-135mm.

2. KQR skewer

- ★ Material: AL 7075 lever and nuts, lever side with self-lubricating brass.
- ★ 6/4 Ti axle with stainless springs coils.
- ★ ROAD set: Front-100mm, Rear-130mm.
- ★ MTB set: Front-100mm, Rear-135mm.
- ★ FR set: Front-100mm, Rear-210mm.


3. Z6 KQR skewer

- ★ Material: AL 6061 lever and nuts, lever side with self-lubricating brass.
- ★ Stainless axle with spring coils.
- ★ ROAD set: Front-100mm, Rear-130mm.
- ★ MTB set: Front-100mm, Rear-135mm.

Jockey wheels/ bolts



1. Titanium jockey wheels



2. Jockey wheel - 2012 Ultra light version



3. Jockey wheels



4. Jockey wheel bolts

1. Titanium Jockey wheels

- ★ 6-4 Ti wheel with DLC finish, full ceramic bearing.
- ★ Improved low noise teeth profile.
- ★ Teeth: 10, 11, 12, 13T

2. Jockey wheel - Ultra light version

- ★ AL7075 wheel cage available in SS bearing.
- ★ Tooth range available: 10T, 11T, 12T, 13T.
- ★ Compatible with Shimano, Campagnolo and SRAM X-0, FORCE, RED.
- ★ Improved anti-dust bearing cap.
- ★ Full CNC machined.

4. Jockey wheel bolts

- ★ Material: AL 7075
- ★ Size: 7.8x7.8x15.5mm.

3. Jockey wheel

- ★ AL7075 wheel cage available in SS or ceramic bearing.
- ★ Tooth range available: 10T, 11T, 12T, 13T, 15T.
- ★ Compatible with Shimano, Campagnolo and SRAM X-0, FORCE, RED.
- ★ Increased lateral rigidity over plastic wheels.
- ★ Full CNC machined.



COMPONENTS

Cranksets
Derailleur system
Cassette
Coasters
Pedals
Bottom brackets
Cleaning sets
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Road/MTB brake calipers
ankle shoes & Posts
DLC brake systems & Mount adapters

Quick Release Skewer
Jockey wheels & bolt
Components
Screws & Bolts
Bearings
Adapters
KCNC distributors
KCNC ordering codes & specification charts

MINI BIKE TOOL



Mini chain tool

Mini chain tool

- ★ Tire lever & chain tool function.
- ★ Can be attached to existing KCNC bike mini tool.
- ★ Black, Red, Gold, Blue, Green



1. SMART MOUNT

CHAIN CATCHERS



2. MTB Chain Catcher



3. ROAD Chain Catcher

1. SMART MOUNT

- ★ Install on existing 25.4/26&31.8mm handlebar allows you to place a flash light, MP3 player, GPS navigator on the extension tube.
- ★ Bridge extension of 60mm&90mm; Dia. 24.4/26mm & 31.8mm short tubes provided(120mm width).
- ★ Handlebar not included, shown only as demonstration.

2. MTB Chain Catcher

- ★ Prevents drive chains from falling.
 - ★ Use on Shimano/KCNC external bearing system MTB cranksets.
- Fits inner chaining tooth range from 20-24T, 25-27T, 28-30T.

3. ROAD Chain Catcher

- ★ Prevents drive chains from falling.
- ★ Use on Shimano/KCNC external bearing system ROAD cranksets.



1. Front shifter clamp



2. Chaining conversion kit

1. Front shifter clamp

- ★ Use as an alternative shifter clamp to separate Shimano M-980 integrated mount lever.
- ★ AL7075 with Ti bolts.

2. Chaining conversion kit

- For user who would like to convert their triple chaining crankset to double set.
- Compatible with Shimano XTR M980(104/64 BCD). Please check the replacement chaining combination diagram.



1. VALVE CAP



2. Crank bolt



3. Bottle cage bolts



4. Valve extenders



1. Hollow design headset spacer



2. Headset spacer



3. Headset top cap

1. VALVE CAP

- ★ Available in Schrader or Presta
- ★ Material: AL 6061

2. Crank bolt

- ★ AL6061, for Shimano DuraAce, XTR, XT crankset left arm.

3. Bottle cage bolts

- ★ Material: AL 7075

4. Valve extenders

- ★ Material: AL 6061
- ★ Length: 50/65/100mm

1. Hollow design headset spacer

- ★ Diameter: For 1 1/8" steerer.
- ★ Material: AL 6061
- ★ KCNC patent hollow design.
- ★ Lower weight than carbon fiber spacer at the same size.

2. Headset spacer

- ★ Diameter: For 1 1/8" steerer.
- ★ Material: AL 6061

3. Headset top cap

- ★ Material: AL 6061
- ★ Diameter: 28.6mm
- ★ Length: 38mm for carbon steerer tube.
- ★ Star-nut version is also available.



1. KCNC drive chain



2. KCNC chain tool



(For floor pump)

3. Pump Connectors



(For air-compressor pump hose)

4. Pump Connectors

1. KCNC drive chain

★ Features: Hollow pin, noiseless function, inner plate chamfering, bushingless construction, chromized treatment.

★ Specification: 1/2"x11/128"

★ Pin length: 6mm

★ Pin strength: 200kgf/kgf

★ Tensile strength: 920kgf/kgf

★ 9&10, 11&12 speed.

★ Color available: Gold, Silver.

2. KCNC chain tool

★ Comprise of high quality alloy and durable SUS accessories.

★ Easy handling grip

★ Install/Breaking chain pivots.

3. Pump Connectors- For floor pump hose

★ Design for Presta valve

★ Chamber: AL7075

★ Spindle: Stainless Steel

★ Bearings: Durable stainless steel balls

★ For floor pump hose without a clamp.

4. Pump Connectors- For air-compressor pump hose

★ Design for Presta valve

★ Chamber: AL7075

★ Spindle: Stainless Steel

★ Bearings: Durable stainless steel balls

★ For air-compressor pump hose with a sus clamp

★ With stainless steel clamp(adjustable)

Cranksets
Derailleur system
Cassette
Pedals
Bottom bracket
Cleaning pens
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Road/MTB brake calipers
brake shoes & Pads
Disc brake systems & Mount adapters

Quick Release Skewer
Jockey wheels & bolt
Components
Screws & Bolt
Spacers
Assorted
KCNC distributors
KCNC ordering codes & specification charts.



1. Handlebar grips



2. Front derailleur clamp



3. V-brake pivot bolt



4. Light mounting bracket

1. Handlebar grips

★ Material: EVA foam

★ KCNC pressed stamp logo

★ Black, Red, Yellow, Blue, White.

2. Front derailleur clamp

★ Material: AL6061

★ Size: 0', 34.9mm only

3', 28.6(w/alloy shim)/31.8/34.9mm

★ Clamp on design, bolt not included.

3. V-brake pivot bolt

★ Material: AL6061

★ Size: M8 or M10

★ Fits unused V-brake mounting holes on a fork/frame

4. Light mounting bracket

★ Material: AL6061

★ Allows you install a flashlight on side of hub skewer.



SCREWS / BOLTS

Cranksets
Derailleur system
Cassette
Pedals
Bottom brackets
Chainring sets
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Road/MTB brake calipers
ankle shoes & Pads
Disc brake systems & Mount adapters

Quick Release skewer
Jockey wheels & bolt
Components
Screws & Bolts
Bearings
Axles
KMC distributors
KMC ordering codes & specification charts



1. BB bolts



2. Scandium bolts



3. Titanium bolts

1. K-TYPE BB bolts

- ★ AL 7075 hard anodized.
- ★ M11.5 x 35mm
- ★ M12 x 35mm
- ★ M14 x 35mm
- ★ M16 x 35mm
- ★ M18 x 35mm
- "Straight through hollow design"

2. Scandium bolts

- ★ M8 x 16mm
- ★ M8 x 18mm
- ★ M10 x 16mm
- ★ M10 x 22mm
- "Straight through hollow design"

3. Titanium bolts

- ★ M5 x 8mm
- ★ M5 x 15.5mm
- ★ M5 x 18mm
- ★ M5 x 35mm
- ★ M6 x 14mm
- ★ M8 x 37mm
- ★ M6 x 47mm
- ★ M7 x 22mm

Crankset
Derailleur system
Cassette
Pedals
Bottom Brackets
Chainring sets
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Front/MSR brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors

Quick Release Skewer
Jockey wheels & bolt
Components
Screws & Bolts
Bearings
Apparel
KCNC distributor
KCNC ordering codes & specification charts

Crankset
Derailleur system
Cassette
Pedals
Bottom Brackets
Chainring sets
Headsets
Stems

Handlebars
ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing
Front/MSR brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors

Quick Release Skewer
Jockey wheels & bolt
Components
Screws & Bolts
Bearings
Apparel
KCNC distributor
KCNC ordering codes & specification charts

Bearings



1. Bearing S-689 / Bearing C-689



2. Bearing S-6805 / Bearing C-6805



3. Bearing S-215317 / Bearing C-215317

1. Bearing S-689 / Bearing C-689

- ★ For KCNC jockey wheel
- ★ Stainless steel balls.
- Ceramic balls.

2. Bearing S-6805 / Bearing C-6805

- ★ For K-type BB.
- ★ Stainless steel balls.
- Ceramic balls

3. Bearing S-215317 / Bearing C-215317

- ★ For ISIS BB.
- ★ Stainless steel balls.
- Ceramic balls.

Apparels



1. Jersey & Short



2. T-shirt pink



3. T-shirt white



4. T-shirt black

1. Jersey & Short

- ★ Material: High quality 100% flycool
- ★ Color: Grey/Red
- ★ Size: XS/S/ML/XL

2. T-shirt pink

- 3. T-shirt white
- 4. T-shirts black

- ★ High quality 100% super soft cotton T-shirt
- ★ Color: Black/White/Pink
- ★ Size: XS/S/ML/XL/XXL

K3 Integrated
series



K3 ROAD crankset

★ Integrated RD crankset, coming soon.

K3 Integrated
series



K3 MTB crankset

★ Integrated MTB crankset, coming soon.

KCNC DERAILLEUR SYSTEM

Cranksets
 Derailleur systems
 Cassettes
 Pedals
 Bottom brackets
 Chainring sets
 Headsets
 Stems
 Handlebars
 ROAD bars
 Seatposts
 Seatpost clamps
 Colours / Housing
 Road/MTB brake calipers
 brake shoes & pads
 Disc brake systems & Mount adapters
 Quick Release skewer
 Jockey wheels & box
 Components
 Screws & Bolts
 Bearings
 Axles
 KCNC distributors
 KCNC ordering codes & specification charts

12S RD SYSTEM



ROAD derailleur
★ Coming soon.

11S MTB SYSTEM



MTB derailleur
★ Coming soon.

ROAD CLIPLESS



SS spindle



Titanium spindle

ROAD - Clipless pedal

- ★ Body: AL7075 hard anodized.
- ★ Spindle: 6/4 Titanium(DLC coating) or Stainless Steel(TiN coating)
- ★ Bearings: 1xcartridge stainless steel, 1xSS needle bushing.
- ★ Springs: Titanium rod
- ★ Cleat: AL7075; KCNC three bolt mounting.
- ★ Spring tension adjustable.

MTB CLIPLESS



MTB- Clipless pedal

MTB- Clipless pedal

- ★ Body: AL7075
- ★ Spindle: 6/4 Titanium(DLC coating) or Stainless Steel(TiN coating)
- ★ Bearings: 1xcartridge stainless steel, 1xSS needle bushing.
- ★ Springs: Titanium rod
- ★ Cleat: 6/4 titanium; KCNC two bolt mounting.
- ★ Spring tension adjustable.

SEATPOSTS



Hydraulic adjustable seatpost

Hydraulic adjustable seatpost

- ★ Length: 330, 380mm
- ★ Diameter: 30.9mm, 31.6mm(seatpost shim required)
- ★ Three level adjustable positions.
- ★ Zero setback.
- ★ Suspension travel 330mm(L100mm); 380mm L(120mm)...

Under developing project, the specification may be changed.

★ **AXEVO s.r.l**

Via Rudello 11 24067 Sarnico(Bg), Italy
Email: info@axevo.it <http://www.axevo.it>
Tel: 0039/035/936361 Fax: 0039/035/9169142
Exclusive distributor Italy/Switzerland/San Marino



★ **CICLO GIANT COM.ART.P/ESP/LTDA.**

Rua Glicerio 700, Liberdade Sao Paulo, SP-CEP 01514-001, Brazil
Email: kuruma@terra.com.br <http://www.kuruma.com.br>
Tel: 11-32080477 Fax: 11-32077378
Exclusive distributor Brazil



★ **Conticomponents Asia Pte Ltd**

26 Sin Ming Lane, #07-126 Midview City Singapore 573971
Email: sales@conticomponents.com <http://www.conticomponentsasia.com>
Tel: +65-66188876 M: +65 9666 0653
Exclusive distributor Singapore



★ **COOLsport HandelsgmbH**

Maerzenkeller 5a, AT-8850 Murau, Austria
Email: kcnc@coolsport.com central@coolsport.com
Tel: +43 699 18448100 Fax: +43 316 231123 2600
Exclusive distributor Austria/Slovenia



★ **Fun Sport Express S.L**

c/ Estany de Llanos 2, 08186 Llica de Munt, BARCELONA, SPAIN
Email: info@funsportexpress.com <http://www.funsportexpress.com>
Tel: +34 93 864 4900 Fax: +34 93 864 3803
Exclusive distributor Spain/Andorra/Portugal



★ **HORTEN SYKKELSPORT AS**

THRANESGT 4, 3187 HORTEN, Norway
Email: sykkel@sykkel.com <http://www.sykkel.com>
Tel: +47-3304-2913 Fax: +47-3304-5911
Exclusive distributor Norway



★ **JT-Import Co. LTD**

Vassingerodvej 85 B, 3540 Lynge, Denmark
Email: jt@jtimport.dk <http://www.jtimport.dk/>
Tel: +45 48188487 Fax: +45 48188486
Exclusive distributor Denmark/Sweden



★ **KT Cyclone SDN BHD**

No. 26&28, Jalan Perda Timur, Distripark, Bandar Perda,
14000 Bukit Mertajam, Penang, Malaysia.
Email: kt_cyclotron@yahoo.com <http://www.ktcyclone.com/>
Tel: +604-539 9289 +604-539 0289 Fax: +604-539 6289
Exclusive distributor Malaysia/Thailand/Indonesia/Brunei



★ **LUDO NV. GURU-SPORT**

Leuvensesteenweg 173 3070 Kortenberg, Belgium
<http://www.guru-sport.com>
Tel: 0032.2.752.17.56
Exclusive distributor BeNeLux



★ **Macris Ltda**

Aristóteles 1125, block 62, Dpto 13, Ñuñoa, Santiago, Chile
<http://www.macrisltda.com>
Tel: 56-2386044, 56-2-4929337 Fax: 56-2386044
Exclusive distributor Chile



★ **Majestic Commercial Corporation**

9 Guirayan St. Brgy. Dona. Imelda, Quezon City, Philippines

Email: majcorp@yahoo.com

Tel: +63-2-7168202 Fax: +63-2-7169460

Exclusive distributor Philippines★ **Marechal International Co.,LTD** 英友达国际企业有限公司

No.9, Sinmin Lane, Nantun District, Taichung City 40871, Taiwan

Email: asia@marechal.ca <http://www.marechal.ca>

Tel: 886-4 2479 3208 Fax: 886-4 2479 3209

Exclusive distributor China/Hong Kong/Macao★ **Paragon Technologies**

P O Box 38653 Pinelands 7430 Cape town

Email: info@paragontech.co.za <http://www.paragontech.co.za>

Tel: +27215319756

Exclusive distributor South Africa★ **Performance Parts Bicycle**

Quatier Entreprise Tournesey, 34 Av de Jugurtha - CS 80008,

34074 Montpellier CEDEX 3, France

Email: cycle@performance-parts.fr <http://www.ppcycle.fr/>Tel: 0033 (0) 467 179 691 **Exclusive distributor France**★ **QUAADLIFE INC.**

8F-9, No.46, Sec.2, Jhongshan N. Rd., Taipei 10448, Taiwan

Email: giantind@ms21.hinet.net <http://www.kurbike.com>

Tel: 886-2-25318330 Fax: 886-2-25718690

Exclusive distributor South America region★ **RITEWAY PRODUCTS JAPAN**

102 Ikebukuro City-Hights Tashima-Ku, Tokyo, 171-0022

Email: rpj-info@riteway-jp.com <http://www.riteway-jp.com>

Tel: +81-3-5950-6002 Fax: +813-5956-8028

Exclusive distributor Japan★ **愛克有限公司**

台中市南屯區嶺東路 46 號

電話 :04-23823648(徐凌斌) 行動電話 :0931-480504

Tel:04-23823648 Mobile Phone:0931-480504 **台灣總代理 Taiwan**

KENT

