



FULCRUM

FULCRUM

www.fulcrumwheels.com

2015 ROAD CYCLOCROSS OFF-ROAD

INDEX

ROAD

7

CYCLOCROSS

23

OFFROAD

29

TECHNOLOGIES

39




SINCE 2004 THE FULCRUM BRAND IS DEDICATED TO DEVELOPING THE BEST PERFORMING WHEELS THAT MODERN TECHNOLOGY CAN PRODUCE. A GREAT DEAL OF THIS WORK IS DONE BY THE FULCRUM ENGINEERS IN THE ITALIAN HEADQUARTERS. HOWEVER, IN ORDER TO DESIGN AND PRODUCE A FASTER WHEEL THEY MUST RELY NOT ONLY ON LABORATORY RESULTS BUT ALSO ON FEEDBACK FROM THE STRONGEST ATHLETES AND THE CYCLING ENTHUSIASTS AROUND THE WORLD. AND THIS IS WHAT WE DO: WE RIDE OUR BICYCLES, WE TEST OUR WHEELS, WE PUT THEM ON WORLD CHAMPIONS' BIKES, WE LISTEN TO SUGGESTION AND COMMENTS COMING FROM OUR ATHLETES AS WELL AS OUR CUSTOMERS. IN THIS WAY WE IMAGINE AND DEVELOP OUR NEW PROJECTS TRYING TO GIVE A DEFINITE CHARACTER TO EVERY NEW WHEEL WE MAKE. CHOOSING THE BEST MATERIALS, REFINING DETAILS, TECHNICAL SOLUTIONS KEEP US AT THE TOP. FROM THE PROFESSIONAL LEVEL ROAD WHEELS TO THE MTB ONES, THE FULCRUM RANGE OFFERS A COMPLETE SELECTION WITH TWO COMMON DENOMINATORS: QUALITY AND PERFORMANCE. LET'S DISCOVER THEM.

MISSION



OUR TEAMS. OUR INSPIRATION. OUR TESTING GROUND.




TEAMS

AG2R LA MONDIALE

FIVE

FOCUS



EVERY ENTHUSIAST WILL BE ABLE TO FIND THE WHEEL THAT IS BEST SUITED FOR HIS OR HER CHARACTERISTICS. THE FULCRUM ROAD RANGE OFFERS SOLUTIONS FOR EVERY CONDITION COURSE, DISCIPLINE AND BUDGET. FROM THE PROFESSIONAL LEVEL FULL CARBON WHEELS TO THE HIGH PERFORMANCE ALUMINIUM LINE, THE FULCRUM RANGE OFFERS A COMPLETE SELECTION WITH TWO COMMON DENOMINATORS: QUALITY AND PERFORMANCE. DISCOVER THEIR CHARACTERISTICS.

ROAD

RACING ZERO CARBON clincher **NEW**

FRONT WHEEL	
RIM	clincher, UD Full carbon, 30 mm, 17C, 3K fiber braking surface
SPOKES	16 aero - aluminium
HUB	Carbon fiber, aluminium flange - USB™ bearings
WEIGHT	584 g

REAR WHEEL	
RIM	UD Full carbon, 30 mm, 17C, 3K fiber braking surface
SPOKES	7 LH, 14 RH - Two-to-One™ - aero - aluminium
HUB	Carbon fiber, oversize aluminium flange - USB™ bearings
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	774 g

Tot. WEIGHT 1358 g

RACING ZERO CARBON tubular **NEW**

FRONT WHEEL	
RIM	tubular, UD Full carbon, 30 mm x 24,5 mm, 3K fiber braking surface
SPOKES	16 - aero - Aluminium
HUB	Carbon fiber, aluminium flange - USB™ bearings
WEIGHT	549 g

REAR WHEEL	
RIM	tubular, UD Full carbon, 30 mm x 24,5 mm, 3K fiber braking surface
SPOKES	7 LH, 14 RH - Two-to-One™ - aero - aluminium
HUB	Carbon fiber, oversize aluminium flange - USB™ bearings
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	719 g

Tot. WEIGHT 1268 g

RACING ZERO NITE clincher **NEW**

FRONT WHEEL	
RIM	Clincher, aluminum triple milled, height 26mm, Plasma Electrolytic Oxidation Treatment
SPOKES	16 aero - aluminium
HUB	Carbon fiber, aluminium flange - USB™ bearings
WEIGHT	610 g

REAR WHEEL	
RIM	Clincher, aluminum triple milled, height 30mm, Plasma Electrolytic Oxidation Treatment
SPOKES	7 LH, 14 RH - Two-to-One™ - aero - aluminium
HUB	Carbon fiber, oversize aluminium flange - USB™ bearings
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	818 g

Tot. WEIGHT 1428 g

RACING ZERO clincher **NEW**

FRONT WHEEL	
RIM	Clincher, aluminum triple milled, height 26mm
SPOKES	16 aero - aluminium
HUB	Carbon fiber, aluminium flange - USB™ bearings
WEIGHT	608 g

REAR WHEEL	
RIM	Clincher, aluminum triple milled, height 30mm
SPOKES	7 LH, 14 RH - Two-to-One™ - aero - aluminium
HUB	Aluminium - oversize aluminium flange - USB™ bearings
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	832 g

Tot. WEIGHT 1440 g

RACING ZERO

2-Way Fit™

NEW

FRONT WHEEL	
RIM	2-Way Fit™, aluminium triple milled, height 26mm
SPOKES	16 aero - aluminium
HUB	Carbon fiber, aluminium flange - USB™ bearings
WEIGHT	613 g

REAR WHEEL	
RIM	2-Way Fit™, aluminium triple milled, height 30mm
SPOKES	7 LH, 14 RH - Two-to-One™ - aero - aluminium
HUB	Aluminium - oversize aluminium flange - USB™ bearings
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	837 g

Tot. WEIGHT 1450 g (all FW)

RACING 3

clincher

FRONT WHEEL	
RIM	Clincher, aluminium, width 20mm, height 26mm - ETRTO 15 - RDB™
SPOKES	16 aero - stainless steel
HUB	Aluminium
WEIGHT	665 g

REAR WHEEL	
RIM	Clincher, aluminium, width 20mm, height 30mm, ETRTO 15 - RDB™
SPOKES	7 LH, 14 RH - Two-to-One™ - aero - stainless steel
HUB	Aluminium - oversize aluminium flange
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	885 g

Tot. WEIGHT 1550 g

RACING 3

2-Way Fit™

FRONT WHEEL	
RIM	2-Way Fit™, aluminium, milled, width 20,5mm, height 26mm, ETRTO 15C - RDB™
SPOKES	16 aero with variable section - stainless steel
HUB	Aluminium
WEIGHT	665 g

REAR WHEEL	
RIM	2-Way Fit™, aluminium, width 20,5mm, height 30mm, ETRTO 15 - RDB™
SPOKES	7 LH, 14 RH - Two-to-One™ - aero with variable section - stainless steel
HUB	Aluminium - oversize aluminium flange
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	900 g

Tot. WEIGHT 1565 g

RACING QUATTRO

clincher

FRONT WHEEL	
RIM	Clincher, aluminium, width 20,5mm - height 35mm, ETRTO 15 - RDB™
SPOKES	16 aero - Two-to-One™ - stainless steel
HUB	Aluminium
WEIGHT	788 g

REAR WHEEL	
RIM	Clincher, aluminium, width 20,5mm - height 35mm, ETRTO 15 - RDB™
SPOKES	7 LH, 14 RH - aero - stainless steel
HUB	Aluminium
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	937 g

Tot. WEIGHT 1725 g

RACING 5 LG clincher

NEW

FRONT WHEEL	
RIM	Clincher, aluminium, asymmetric, 17C, height 24mm
SPOKES	18 aero - Double-buttet steel spokes
HUB	Aluminium
WEIGHT	753 g
REAR WHEEL	
RIM	Clincher, aluminium, asymmetric, 17C, height 27,5mm
SPOKES	10 LH, 10 RH - aero - Double-buttet steel spokes
HUB	Aluminium
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	905 g
Tot. WEIGHT	1658 g

RACING 5 clincher

FRONT WHEEL	
RIM	Clincher, aluminium, width 20,5mm - height 24mm, ETRTO 15
SPOKES	18 aero with variable section - stainless steel
HUB	Aluminium
WEIGHT	753 g
REAR WHEEL	
RIM	Clincher, aluminium, width 20,5mm - height 27,5mm, ETRTO 15
SPOKES	10 LH, 10 RH - aero with variable section - stainless steel
HUB	Aluminium
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	892 g
Tot. WEIGHT	1645 g

RACING 7 LG clincher

NEW

FRONT WHEEL	
RIM	Clincher, aluminium, asymmetric, 17C, height 24mm
SPOKES	18 aero - 2mm Ø steel spokes
HUB	Aluminium
WEIGHT	826 g
REAR WHEEL	
RIM	Clincher, aluminium, asymmetric, 17C, height 27,5mm
SPOKES	10 LH, 10 RH - aero - 2mm Ø steel spokes
HUB	Aluminium
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	937 g
Tot. WEIGHT	1763 g

RACING 7 clincher

FRONT WHEEL	
RIM	Clincher, aluminium, width 20,5mm - height 24mm, ETRTO 15
SPOKES	18 - standard 2mm - steel
HUB	Aluminium - steel axle
WEIGHT	815 g
REAR WHEEL	
RIM	Clincher, aluminium, width 20,5mm - height 27,5mm, ETRTO 15
SPOKES	10 LH, 10 RH - standard 2mm - steel/stainless steel
HUB	Aluminium
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	935 g
Tot. WEIGHT	1750 g

RACING SPORT clincher



FRONT WHEEL	
RIM	Clincher, Aluminum - height 24,3mm
SPOKES	18 spokes - steel - round Ø2 mm
HUB	Aluminium
WEIGHT	811 g
REAR WHEEL	
RIM	Clincher, Aluminum - H24,3mm
SPOKES	8 LH - 16 RH - steel - round Ø2 mm
HUB	Aluminium
FW	HG 8/9/10/11
WEIGHT	1081 g
Tot. WEIGHT	1892 g

RACING LIGHT XLR clincher



FRONT WHEEL	
RIM	Clincher, Carbon, width 20mm, height 21mm, ETRTO 13C
SPOKES	22 - aero with variable section - stainless steel
HUB	Carbon fiber - aluminium flange - CULT™ bearings
WEIGHT	546 g
REAR WHEEL	
RIM	Clincher, Carbon, width 20mm, height 23mm
SPOKES	8 LH - 16 RH - Two-to-One™ - aero with variable section - stainless steel
HUB	Carbon fiber - aluminium flange - CULT™ bearings
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	680 g
Tot. WEIGHT	1345 g

RACING SPORT DB clincher

NEW



FRONT WHEEL	
RIM	clincher, aluminum, asymmetric profile, height 27,5mm , 17C
SPOKES	7+14 spokes, steel, round Ø 2 mm
HUB	Aluminium - DISC BRAKES compatible (6 bolts)
WEIGHT	796 g
REAR WHEEL	
RIM	clincher, aluminum, asymmetric profile, height 27,5mm , 17C
SPOKES	7+14 spokes, steel, round Ø 2 mm
HUB	Aluminium - DISC BRAKES compatible (6 bolts)
FW	HG 8/9/10/11
WEIGHT	1076 g
Tot. WEIGHT	1872 g

RACING LIGHT XLR tubular



FRONT WHEEL	
RIM	tubular, Carbon, width 20,5mm, height 22mm
SPOKES	22 - aero with variable section - stainless steel
HUB	Carbon fiber - aluminium flange - CULT™ bearings
WEIGHT	595 g
REAR WHEEL	
RIM	tubular, Carbon, width 20,5mm, height 23mm
SPOKES	8 LH - 16 RH - Two-to-One™ - aero with variable section - stainless steel
HUB	Carbon fiber - aluminium flange - CULT™ bearings
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	750 g
Tot. WEIGHT	1226 g

RACING SPEED XLR 35 tubular

FRONT WHEEL	
RIM	tubular, Carbon, width 20mm, height 35mm
SPOKES	18 - aero with variable section - stainless steel
HUB	Carbon fiber - aluminium flange - CULT™ bearings
WEIGHT	540 g

REAR WHEEL	
RIM	tubular, Carbon, width 20mm, height 35mm
SPOKES	7 LH - 14 RH - Two-to-One™ - aero with variable section - stainless steel
HUB	Carbon fiber - - oversize aluminium flange - CULT™ bearings
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	695 g

Tot. WEIGHT	1235 g
-------------	--------

RACING SPEED XLR 80 tubular

FRONT WHEEL	
RIM	tubular, Carbon, width 20mm, height 80mm
SPOKES	16 - aero with variable section - stainless steel
HUB	Carbon fiber - aluminium flange - CULT™ bearings
WEIGHT	715 g

REAR WHEEL	
RIM	tubular, Carbon, width 20mm, height 80mm
SPOKES	6 LH - 12 RH - Two-to-One™ - aero with variable section - stainless steel
HUB	Carbon fiber - oversize aluminium flange - CULT™ bearings
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	825 g

Tot. WEIGHT	1540 g
-------------	--------

RACING SPEED XLR tubular

FRONT WHEEL	
RIM	tubular, Carbon, width 20mm, height 50mm
SPOKES	18 - aero with variable section - stainless steel
HUB	Carbon fiber - aluminium flange - CULT™ bearings
WEIGHT	577 g

REAR WHEEL	
RIM	tubular, Carbon, width 20mm, height 50mm
SPOKES	7 LH - 14 RH - Two-to-One™ - aero with variable section - stainless steel
HUB	Carbon fiber - oversize aluminium flange - CULT™ bearings
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	747 g

Tot. WEIGHT	1324 g
-------------	--------

RACING SPEED 35 tubular

FRONT WHEEL	
RIM	tubular, Carbon, width 20mm, height 35mm
SPOKES	18 - aero with variable section - stainless steel
HUB	Aluminium
WEIGHT	555 g

REAR WHEEL	
RIM	tubular, Carbon, width 20mm, height 35mm
SPOKES	7 LH - 14 RH - Two-to-One™ - aero with variable section - stainless steel
HUB	Aluminium - oversize aluminium flange
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	705 g

Tot. WEIGHT	1260 g
-------------	--------

RACING SPEED tubular

FRONT WHEEL	
RIM	tubular, Carbon, width 20mm, height 50mm
SPOKES	18 - aero with variable section - stainless steel
HUB	Aluminium
WEIGHT	590 g

REAR WHEEL	
RIM	tubular, Carbon, width 20mm, height 50mm
SPOKES	7 LH - 14 RH - Two-to-One™ - aero with variable section - stainless steel
HUB	Aluminium - oversize aluminium flange
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	770 g

Tot. WEIGHT	1360 g
-------------	--------

RED WIND XLR 80 clincher

FRONT WHEEL	
RIM	tubular, Alu-Carbon, width 20,5mm, height 80mm
SPOKES	16 - aero with variable section - stainless steel
HUB	Aluminium - CULT™ bearings
WEIGHT	815 g

REAR WHEEL	
RIM	tubular, Alu-Carbon, width 20mm, height 80mm
SPOKES	6 LH - 12 RH - Two-to-One™ - aero with variable section - stainless steel
HUB	Aluminium - CULT™ bearings
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	955 g

Tot. WEIGHT	1770 g
-------------	--------



RED WIND XLR clincher

FRONT WHEEL	
RIM	tubular, Alu-Carbon, width 20,5mm, height 50mm
SPOKES	18 - aero with variable section - stainless steel
HUB	Aluminium - CULT™ bearings
WEIGHT	727 g

REAR WHEEL	
RIM	tubular, Alu-Carbon, width 20mm, height 50mm
SPOKES	7 LH - 14 RH - Two-to-One™ - aero with variable section - stainless steel
HUB	Aluminium - CULT™ bearings
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	863 g

Tot. WEIGHT	1590 g
-------------	--------

RED WIND XLR 105 clincher

FRONT WHEEL	
RIM	tubular, Alu-Carbon, width 20,5mm, height 105mm
SPOKES	16 - aero with variable section - stainless steel
HUB	Aluminium - CULT™ bearings
WEIGHT	910 g

REAR WHEEL	
RIM	tubular, Alu-Carbon, width 20mm, height 105mm
SPOKES	6 LH - 12 RH - Two-to-One™ - aero with variable section - stainless steel
HUB	Aluminium - CULT™ bearings
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	1050 g

Tot. WEIGHT	1960 g
-------------	--------



RED WIND clinchier

FRONT WHEEL

RIM	tubular, Alu-Carbon, width 20,5mm, height 50mm
SPOKES	18 - aero with variable section - stainless steel
HUB	Aluminium, steel axle
WEIGHT	785 g

REAR WHEEL

RIM	tubular, Alu-Carbon, width 20mm, height 50mm
SPOKES	7 LH - 14 RH - Two-to-One™ - aero with variable section - stainless steel
HUB	Aluminium, steel axle
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	970 g

Tot.
WEIGHT 1755 g

RACING SPEED DISC tubular

REAR WHEEL

RIM	tubular, Carbon, disc, width 20mm
HUB	Aluminium, CULT™ bearings
FW	CAMPA 9/10/11 - HG 8/9/10/11
WEIGHT	975 g

